



**Fasteba**




# Ledverlichting

Contact informatie  
[www.fasteba.com](http://www.fasteba.com)  
[info@fasteba.com](mailto:info@fasteba.com)

# PANEL LED 20X LED 375MM

Reference: FA35128

PHOTO AND TECHNICAL DRAWING:



TECHNICAL SPECIFICATIONS:




MATERIAL	QUANTITY LED/LM	MOUNTING	CABLE	FUNCTION	WATT	VOLTAGE	CERTIFICATES	PACKING/WEIGHT
» Lens: PC » Housing: AL	» 20 » 1533LM	» screw	» 300 mm	» work light » combo	» 36 W	» 12V/24V	» ECE R10	» cart. dim.: 330x110x130 mm » lamp weight: 1350 g » 8 pcs/bulk box

# PANEL LED 40X LED 630MM

Reference: FA35129

PHOTO AND TECHNICAL DRAWING:




TECHNICAL SPECIFICATIONS:

MATERIAL	QUANTITY LED/LM	MOUNTING	CABLE	FUNCTION	WATT	VOLTAGE	CERTIFICATES	PACKAGE/WEIGHT
» Lens: PC » Housing: AL	» 40 » 4453 LM	» screws	» 250mm	» work light » combo	» 120 W	» 12V/24V	» ECE R10	» cart. dim: 680x120x120 mm » lamp weight: 2850 g » 4 pce/bulk box

# PANEL LED 40X LED 630MM CURVED

Reference: FA35130

PHOTO AND TECHNICAL DRAWING:



TECHNICAL SPECIFICATIONS:




MATERIAL	QUANTITY LED/LM	MOUNTING	CABLE	FUNCTION	WATT	VOLTAGE	CERTIFICATES	PACKAGE/WEIGHT
<ul style="list-style-type: none"> <li>» Lens: PC</li> <li>» Housing: AL</li> </ul>	<ul style="list-style-type: none"> <li>» 40</li> <li>» 4964 LM</li> </ul>	<ul style="list-style-type: none"> <li>» screws</li> </ul>	<ul style="list-style-type: none"> <li>» 250mm</li> </ul>	<ul style="list-style-type: none"> <li>» work light</li> <li>» combo</li> <li>» larger viewing angle</li> </ul>	<ul style="list-style-type: none"> <li>» 120 W</li> </ul>	<ul style="list-style-type: none"> <li>» 12V/24V</li> </ul>	<ul style="list-style-type: none"> <li>» ECE R10</li> </ul>	<ul style="list-style-type: none"> <li>» cart. dim.::</li> <li>680x120x120 mm</li> <li>» lamp weight:</li> <li>2500 g</li> <li>» 4 pcs/bulk box</li> </ul>

# PANEL LED 60X LED 885MM

Reference: FA35131

PHOTO AND TECHNICAL DRAWING:



TECHNICAL SPECIFICATIONS:




MATERIAL	QUANTITY LED/LM	MOUNTING	CABLE	FUNCTION	WATT	VOLTAGE	CERTIFICATES	PACKAGE/WEIGHT
<ul style="list-style-type: none"> <li>» Lens: PC</li> <li>» Housing: AL</li> </ul>	<ul style="list-style-type: none"> <li>» 60</li> <li>» 6527 LM</li> </ul>	<ul style="list-style-type: none"> <li>» screws</li> </ul>	<ul style="list-style-type: none"> <li>» 250mm</li> </ul>	<ul style="list-style-type: none"> <li>» work light</li> <li>» combo</li> </ul>	<ul style="list-style-type: none"> <li>» 180 W</li> </ul>	<ul style="list-style-type: none"> <li>» 12V/24V</li> </ul>	<ul style="list-style-type: none"> <li>» ECE R10</li> </ul>	<ul style="list-style-type: none"> <li>» cart. dim.: 930x120x120 mm</li> <li>» lamp weight: 3450 g</li> <li>» 4 pcs/bulk box</li> </ul>

# PANEL LED 60X LED 885MM CURVED

Reference: FA35132

PHOTO AND TECHNICAL DRAWING:



TECHNICAL SPECIFICATIONS:




MATERIAL	QUANTITY LED/LM	MOUNTING	CABLE	FUNCTION	WATT	VOLTAGE	CERTIFICATES	PACKAGE/WEIGHT
<ul style="list-style-type: none"> <li>» Lens: PC</li> <li>» Housing: AL</li> </ul>	<ul style="list-style-type: none"> <li>» 60</li> <li>» 6700 LM</li> </ul>	<ul style="list-style-type: none"> <li>» screws</li> </ul>	<ul style="list-style-type: none"> <li>» 250mm</li> </ul>	<ul style="list-style-type: none"> <li>» work light</li> <li>» combo</li> <li>» larger viewing angle</li> </ul>	<ul style="list-style-type: none"> <li>» 180 W</li> </ul>	<ul style="list-style-type: none"> <li>» 12V/24V</li> </ul>	<ul style="list-style-type: none"> <li>» ECE R10</li> </ul>	<ul style="list-style-type: none"> <li>» cart. dim.: 930x120x120 mm</li> <li>» lamp weight: 3360 g</li> <li>» 4 pcs/bulk box</li> </ul>

# PANEL LED 80X LED 1140MM

Reference: FA35133

PHOTO AND TECHNICAL DRAWING:



TECHNICAL SPECIFICATIONS:




MATERIAL	QUANTITY LED/LM	MOUNTING	CABLE	FUNCTION	WATT	VOLTAGE	CERTIFICATES	PACKAGE/ WEIGHT
» Lens: PC » Housing: AL	» 80 » 7723 LM	» screw	» 250mm	» work light » combo	» 240W	» 12V/24V	» ECE R10	» cart. dim.: 1210x120x120 mm » lamp weight: 4680g » 4 pcs/bulkbox

# PANEL LED 80X LED 1140MM CURVE

Reference: FA35134

PHOTO AND TECHNICAL DRAWING:

Fasteba



TECHNICAL SPECIFICATIONS:




MATERIAL	QUANTITY LED/LM	MOUNTING	CABLE	FUNCTION	WATT	VOLTAGE	CERTIFICATES	PACKING/WEIGHT
<ul style="list-style-type: none"> <li>» Lens: PC</li> <li>» Housing: AL</li> </ul>	<ul style="list-style-type: none"> <li>» 80</li> <li>» 8000 LM</li> </ul>	<ul style="list-style-type: none"> <li>» screw</li> </ul>	<ul style="list-style-type: none"> <li>» 250mm</li> </ul>	<ul style="list-style-type: none"> <li>» work light</li> <li>» combo</li> </ul>	<ul style="list-style-type: none"> <li>» 240W</li> </ul>	<ul style="list-style-type: none"> <li>» 12V/24V</li> </ul>	<ul style="list-style-type: none"> <li>» ECE R10</li> </ul>	<ul style="list-style-type: none"> <li>» cart. dim.: 1125x130x195 mm</li> <li>» lamp weight: 4250g</li> <li>» 4 pcs/bulk box</li> </ul>



# PANEL LED 96X LED 1344MM

Reference: FA35135

PHOTO AND TECHNICAL DRAWING:



SPECYFIKACJA TECHNICZNA:




MATERIAL	QUANTITY LED/LM	MOUNTING	CABLE	FUNCTION	WATT	VOLTAGE	CERTIFICATES	PACKAGE/ WEIGHT
» Lens: PC » Housing: AL	» 96 » 8300 LM	» screws	» 250mm	» work light » combo	» 288W	» 12V/24V	» ECE R10	» cart. dim.: 1360x120x120 mm » lamp weight: 5240g » 4 pcs/bulk box

# PANEL LED 96X LED 1344MM CURVE

Reference: FA35136

PHOTO AND TECHNICAL DRAWING:



TECHNICAL SPECIFICATIONS:




MATERIAL	QUANTITY LED/LM	MOUNTING	CABLE	FUNCTION	WATT	VOLTAGE	CERTIFICATES	PACKING/WEIGHT
<ul style="list-style-type: none"> <li>» Lens: PC</li> <li>» Housing: AL</li> </ul>	<ul style="list-style-type: none"> <li>» 96</li> <li>» 8584 LM</li> </ul>	<ul style="list-style-type: none"> <li>» screw</li> </ul>	<ul style="list-style-type: none"> <li>» 250mm</li> </ul>	<ul style="list-style-type: none"> <li>» work light</li> <li>» combo</li> </ul>	<ul style="list-style-type: none"> <li>» 288W</li> </ul>	<ul style="list-style-type: none"> <li>» 12V/24V</li> </ul>	<ul style="list-style-type: none"> <li>» ECE R10</li> </ul>	<ul style="list-style-type: none"> <li>» cart. dim.: 1320x130x215 mm</li> <li>» lamp weight: 5140g</li> <li>» 4 pcs/bulk box</li> </ul>

# PANEL LED 120W 40 LED 609MM

Reference: FA35137

PHOTO AND TECHNICAL DRAWING:




TECHNICAL SPECIFICATIONS:

MATERIAL	QUANTITY LED/LM	MOUNTING	CABLE	FUNCTION	WATT	VOLTAGE	CERTIFICATES	PACKING/ WEIGHT
» Lens: PC » Housing: AL	» 40 » 2434LM	» screw	» 250 mm	» work light » combo	» 120 W	» 12V/24V	» ECE R10	» cart. dim.: 610x110x100 mm » lamp weight: 1900 g » 4 pcs/bulk box

# PANEL LED 180W 60 LED 864MM

Reference: FA35138

PHOTO AND TECHNICAL DRAWING:




TECHNICAL SPECIFICATIONS:

MATERIAL	QUANTITY LED/LM	MOUNTING	CABLE	FUNCTION	WATT	VOLTAGE	CERTIFICATES	PACKING/WEIGHT
» Lens: PC » Housing: AL	» 60 » 3472LM	» screw	» 250 mm	» work light » combo	» 180 W	» 12V/24V	» ECE R10	» cart. dim.: 863x110x100 mm » lamp weight: 2550 g » 4 pcs/bulk box

# PANEL LED 240W 80 LED 1119MM

Reference: FA35139

PHOTO AND TECHNICAL DRAWING:




TECHNICAL SPECIFICATIONS:

MATERIAL	QUANTITY LED/LM	MOUNTING	CABLE	FUNCTION	WATT	VOLTAGE	CERTIFICATES	PACKING/ WEIGHT
» Lens: PC » Housing: AL	» 80 » 4500LM	» screw	» 250 mm	» work light » combo	» 240 W	» 12V/24V	» ECE R10	» cart. dim.: 1096x110x100 mm » lamp weight: 3380 g » 4 pcs/bulk box

# PANEL LED 300W 100 LED 1393MM

Reference: FA35140

PHOTO AND TECHNICAL DRAWING:



TECHNICAL SPECIFICATIONS:





MATERIAL	QUANTITY LED/LM	MOUNTING	CABLE	FUNCTION	WATT	VOLTAGE	CERTIFICATES	PACKING/ WEIGHT
» Lens: PC » Housing: AL	» 100 » 5307LM	» screw	» 250 mm	» work light » combo	» 300 W	» 12V/24V	» ECE R10	» cart. dim.: 1351x110x100 mm » lamp weight: 3900 g » 4 pcs/bulk box

# PANEL LED 18W 99MM FLOOD

Reference: FA35141

PHOTO AND TECHNICAL DRAWING:



TECHNICAL SPECIFICATIONS:






MATERIAL	QUANTITY LED/LM	MOUNTING	CABLE	FUNCTION	WATT	VOLTAGE	CERTIFICATES	PACKING/WEIGHT
» Lens: PC » Housing: AL	» 6 » 720 LM	» screw	» 300mm	» work light » flood	» 14W	» 12V/24V	» ECE R10	» cart. dim.: 100x90x90 mm » lamp weight: 264g » 40pcs/bulk box

# PANEL LED 18W 98MM SPOT

Reference: FA35142

PHOTO AND TECHNICAL DRAWING:



TECHNICAL SPECIFICATIONS:






MATERIAL	QUANTITY LED/LM	MOUNTING	CABLE	FUNCTION	WATT	VOLTAGE	CERTIFICATES	PACKING/WEIGHT
» Lens: PC » Housing: AL	» 6 » 720 LM	» screw	» 300mm	» work light » spot	» 14W	» 12V/24V	» ECE R10	» cart. dim.: 100x90x90 mm » lamp weight: 264g » 40 pcs/bulk box



# PANEL LED 36W 167MM FLOOD

Reference: FA35143

PHOTO AND TECHNICAL DRAWING:



TECHNICAL SPECIFICATIONS:





MATERIAL	QUANTITY LED/LM	MOUNTING	CABLE	FUNCTION	WATT	VOLTAGE	CERTIFICATES	PACKING/WEIGHT
» Lens: PC » Housing: AL	» 12 » 1400 LM	» screw	» 300mm	» work light » flood	» 24W	» 12V/24V	» ECE R10	» cart. dim.: 240x120x100 mm » lamp weight: 434g » 20pcs/bulk box

# PANEL LED 36W 167MM COMBO LEFT

Reference: FA35144

PHOTO AND TECHNICAL DRAWING:



TECHNICAL SPECIFICATIONS:



MATERIAL	QUANTITY LED/LM	MOUNTING	CABLE	FUNCTION	WATT	VOLTAGE	CERTIFICATES	PACKING/WEIGHT
<ul style="list-style-type: none"> <li>» Lens: PC</li> <li>» Housing: AL</li> </ul>	<ul style="list-style-type: none"> <li>» 12</li> <li>» 1400 LM</li> </ul>	<ul style="list-style-type: none"> <li>» screw</li> </ul>	<ul style="list-style-type: none"> <li>» 300mm</li> </ul>	<ul style="list-style-type: none"> <li>» work light</li> <li>» flood/spot</li> </ul>	<ul style="list-style-type: none"> <li>» 24W</li> </ul>	<ul style="list-style-type: none"> <li>» 12V/24V</li> </ul>	<ul style="list-style-type: none"> <li>» ECE R10</li> </ul>	<ul style="list-style-type: none"> <li>» cart. dim.: 240x120x100 mm</li> <li>» lamp weight: 434g</li> <li>» 20pcs/bulk box</li> </ul>



# PANEL LED 36W 167MM COMBO RIGHT

Reference: FA35145

PHOTO AND TECHNICAL DRAWING:



» flood      » spot



TECHNICAL SPECIFICATIONS:





MATERIAL	QUANTITY LED/LM	MOUNTING	CABLE	FUNCTION	WATT	VOLTAGE	CERTIFICATES	PACKING/WEIGHT
» Lens: PC » Housing: AL	» 12 » 1400 LM	» screw	» 300mm	» work light » flood/spot	» 24W	» 12V/24V	» ECE R10	» cart. dim.: 240x120x100 mm » lamp weight: 434g » 20pcs/bulk box

# 167MM LED PANEL 36W SPOT

Reference: FA35146

PHOTO AND TECHNICAL DRAWING:



TECHNICAL SPECIFICATIONS:





MATERIAL	QUANTITY LED/LM	MOUNTING	CABLE	FUNCTION	WATT	VOLTAGE	CERTIFICATES	PACKING/ WEIGHT
» Lens: PC » Housing: AL	» 12 » 1400 LM	» screw	» 300mm	» work light » spot	» 24W	» 12V/24V	» ECE R10	» cart. dim.: 240x120x100 mm » lamp weight: 434g » 20pcs/bulk box

# PANEL LED 46W 305MM

Reference: FA35147

PHOTO AND TECHNICAL DRAWING:



TECHNICAL SPECIFICATIONS:





MATERIAL	QUANTITY LED/LM	MOUNTING	CABLE	FUNCTION	WATT	VOLTAGE	CERTIFICATES	PACKING/ WEIGHT
» Lens: PC » Housing: AL	» 24 » 2900 LM	» screws	» 300mm	» work light » combo	» 46W	» 12V/24V	» ECE R10	» cart. dim.: 370x120x100 mm » lamp weight: 676g » 10pcs/bulk box

# PANEL LED 126W 505MM

Reference: FA35148

PHOTO AND TECHNICAL DRAWING:



TECHNICAL SPECIFICATIONS:




MATERIAL	QUANTITY LED/LM	MOUNTING	CABLE	FUNCTION	WATT	VOLTAGE	CERTIFICATES	PACKING/ WIEGHT
» Lens: PC » Housing: AL	» 42 » 5000 LM	» screws	» 300mm	» work light » combo	» 80W	» 12V/24V	» ECE R10	» cart. dim.: 580x120x100 mm » lamp weight: 1077g » 8pcs/bulk box

# PANEL LED 113W 715MM

Reference: FA35149

PHOTO AND TECHNICAL DRAWING:



TECHNICAL SPECIFICATIONS:





MATERIAL	QUANTITY LED/LM	MOUNTING	CABLE	FUNCTION	WATT	VOLTAGE	CERTIFICATES	PACKING/ WEIGHT
» Lens: PC » Housing: AL	» 60 » 7200 LM	» screws	» 300mm	» work light » combo	» 113W	» 12V/24V	» ECE R10	» cart. dim.: 800x120x100 mm » lamp weight: 1496g » 6pcs/bulk box

# PANEL LED 197W 1118MM

Reference: FA35150

PHOTO AND TECHNICAL DRAWING:



TECHNICAL SPECIFICATIONS:



MATERIAL	QUANTITY LED/LM	MOUNTING	CABLE	FUNCTION	WATT	VOLTAGE	CERTIFICATES	PACKING/ WEIGHT
» Lens: PC » Housing: AL	» 96 » 11500 LM	» screws	» 300mm	» work light » combo	» 197W	» 12V/24V (10V-48V)	» ECE R10	» cart. dim.: 1200x120x100 mm » lamp weight: 2410g » 4pcs/bulk box



# PANEL LED 36X LED COMBO

Reference: FA35151

PHOTO AND TECHNICAL DRAWING:



TECHNICAL SPECIFICATIONS:




MATERIAL	QUANTITY LED/LM	MOUNTING	CABLE	FUNCTION	WATT	VOLTAGE	CERTIFICATES	PACKING/ WEIGHT
» Lens: PC » Housing: AL	» 36 » 6373 LM	» screw	» 250 mm	» work light » combo	» 180 W	» 12V/24V	» ECE R10	» cart. dim.: 1020x110x110 mm » lamp weight: 3400g » 4 pcs/bulk box

# PANEL LED 10X LED

Reference: FA35152

PHOTO AND TECHNICAL DRAWING:



TECHNICAL SPECIFICATIONS:




MATERIAL	QUANTITY LED/LM	MOUNTING	CABLE	FUNCTION	WATT	VOLTAGE	CERTIFICATES	PACKING/ WEIGHT
» Lens: PC » Housing: AL	» 10 » 4469 LM	» screw	» 250 mm	» work light » combo	» 120 W	» 12V/24V	» ECE R10	» cart.dim.: 680x120x120 mm » lamp weight: 2700g » 4 pcs/bulk box

# PANEL LED 15X LED

Reference: FA35153

PHOTO AND TECHNICAL DRAWING:



TECHNICAL SPECIFICATIONS:




MATERIAL	QUANTITY LED/LM	MOUNTING	CABLE	FUNCTION	WATT	VOLTAGE	CERTIFICATES	PACKING/ WEIGHT
» Lens: PC » Housing: AL	» 15 » 7045 LM	» screw	» 250 mm	» work light » combo	» 180 W	» 12V/24V	» ECE R10	» cart. dim.: 930x120x120 mm » lamp weight: 3800g » 4 pcs/bulk box

# PANEL LED 20X LED

Reference: FA35154

PHOTO AND TECHNICAL DRAWING:



TECHNICAL SPECIFICATIONS:




MATERIAL	QUANTITY LED/LM	MOUNTING	CABLE	FUNCTION	WATT	VOLTAGE	CERTIFICATES	PACKING/WEIGHT
<ul style="list-style-type: none"> <li>» Lens: PC</li> <li>» Housing: AL</li> </ul>	<ul style="list-style-type: none"> <li>» 20</li> <li>» 8286 LM</li> </ul>	<ul style="list-style-type: none"> <li>» screw</li> </ul>	<ul style="list-style-type: none"> <li>» 250 mm</li> </ul>	<ul style="list-style-type: none"> <li>» work light</li> <li>» combo</li> </ul>	<ul style="list-style-type: none"> <li>» 240 W</li> </ul>	<ul style="list-style-type: none"> <li>» 12V/24V</li> </ul>	<ul style="list-style-type: none"> <li>» ECE R10</li> </ul>	<ul style="list-style-type: none"> <li>» cart.dim.: 1210x120x120 mm</li> <li>» lamp weight: 5000g</li> <li>» 4 pcs/bulk box</li> </ul>

# PANEL LED 25X LED

Reference: FA35155

PHOTO AND TECHNICAL DRAWING:



TECHNICAL SPECIFICATIONS:





MATERIAL	QUANTITY LED/LM	MOUNTING	CABLE	FUNCTION	WATT	VOLTAGE	CERTIFICATES	PACKING/ WEIGHT
» Lens: PC » Housing: AL	» 25 » 8932 LM	» screw	» 250 mm	» work light » combo	» 300 W	» 12V/24V	» ECE R10	» cart. dim.: 1430x120x120 mm » lamp weight: 6000g » 4 pcs/bulk box

# PANEL LED 2X LED

Reference: FA35156

PHOTO AND TECHNICAL DRAWING:



TECHNICAL SPECIFICATIONS:




MATERIAL	QUANTITY LED/LM	MOUNTING	CABLE	FUNCTION	WATT	VOLTAGE	CERTIFICATES	PACKING/WEIGHT
» Lens: PC » Housing: AL	» 2 » 620 LM	» screw	» 500 mm	» work light » spot	» 12 W	» 12V/24V	» ECE R10	» cart. dim.: 480x140x120 mm » lamp weight: 800 g » 20 pcs/bulk box

# PANEL LED 4X LED

Reference: FA35157

PHOTO AND TECHNICAL DRAWING:



TECHNICAL SPECIFICATIONS:





MATERIAL	QUANTITY LED/LM	MOUNTING	CABLE	FUNCTION	WATT	VOLTAGE	CERTIFICATES	PACKING/WEIGHT
» Lens: PC » Housing: AL	» 4 » 1300 LM	» screw	» 500 mm	» work light » spot	» 30 W	» 12V/24V	» ECE R10	» cart. dim.: 590x140x120 mm » lamp weight: 1150g » 12 pcs/bulk box

# PANEL LED 8X LED

Reference: FA35158

PHOTO AND TECHNICAL DRAWING:



TECHNICAL SPECIFICATIONS:


MATERIAL	QUANTITY LED/LM	MOUNTING	CABLE	FUNCTION	WATT	VOLTAGE	CERTIFICATES	PACKING/WEIGHT
» Lens: PC » Housing: AL	» 8 » 2600LM	» screw	» 500 mm	» work light » combo	» 59 W	» 12V/24V	» ECE R10	» cart. dim.: 940x140x120 mm » lamp weight: 2180 g » 8 pcs/bulk box



# PANEL LED 12X LED

Reference: FA35159

PHOTO AND TECHNICAL DRAWING:





TECHNICAL SPECIFICATIONS:

MATERIAL	QUANTITY LED/LM	MOUNTING	CABLE	FUNCTION	WATT	VOLTAGE	CERTIFICATES	PACKING/ WEIGHT
» Lens: PC » Housing: AL	» 12 » 3900LM	» screw	» 500 mm	» work light » combo	» 88 W	» 12V/24V	» ECE R10	» cart. dim.: 555x140x120 mm » lamp weight: 2480g » 4 pcs/bulk box

# PANEL LED 18X LED

Reference: FA35160

PHOTO AND TECHNICAL DRAWING:




TECHNICAL SPECIFICATIONS:

MATERIAL	QUANTITY LED/LM	MOUNTING	CABLE	FUNCTION	WATT	VOLTAGE	CERTIFICATES	PACKING/ WEIGHT
» Lens: PC » Housing: AL	» 18 » 5850 LM	» screw	» 500 mm	» work light » combo	» 132 W	» 12V/24V	» ECE R10	» cart. dim.: 940x140x120 mm » lamp weight: 3550g » 4 pcs/bulk box

# PANEL LED 26X LED

Reference: FA35161

PHOTO AND TECHNICAL DRAWING:



TECHNICAL SPECIFICATIONS:



MATERIAL	QUANTITY LED/LM	MOUNTING	CABLE	FUNCTION	WATT	VOLTAGE	CERTIFICATES	PACKING/WEIGHT
» Lens: PC » Housing: AL	» 26 » 8450 LM	» screw	» 500 mm	» work light » combo	» 190 W	» 12V/24V	» ECE R10	» cart. dim.: 1170x140x120 mm » lamp weight: 4730 g » 4 pcs/bulk box

# PANEL LED 6X LED

Reference: FA35162

PHOTO AND TECHNICAL DRAWING:



TECHNICAL SPECIFICATIONS:




MATERIAL	QUANTITY LED/LM	MOUNTING	CABLE	FUNCTION	WATT	VOLTAGE	CERTIFICATES	PACKING/ WEIGHT
» Lens: PC » Housing: AL	» 6 » 1950 LM	» screw	» 500 mm	» work light » flood	» 48 W	» 12V/24V	» ECE R10	» cart. dim.: 590x140x120mm » lamp weight: 1950g » 12 pcs/bulk box

# PANEL LED 18XLED SPOT

Reference: FA35163

PHOTO AND TECHNICAL DRAWING:




TECHNICAL SPECIFICATIONS:

MATERIAL	QUANTITY LED/LM	MOUNTING	CABLE	FUNCTION	WATT	VOLTAGE	CERTIFICATES	PACKING/WEIGHT
<ul style="list-style-type: none"> <li>» Lens: PC</li> <li>» Housing: AL</li> </ul>	<ul style="list-style-type: none"> <li>» 18</li> <li>» 1200 LM</li> </ul>	<ul style="list-style-type: none"> <li>» screw</li> </ul>	<ul style="list-style-type: none"> <li>» 300 mm</li> </ul>	<ul style="list-style-type: none"> <li>» work light</li> <li>» spot</li> </ul>	<ul style="list-style-type: none"> <li>» 27 W</li> </ul>	<ul style="list-style-type: none"> <li>» 12V/24V</li> </ul>	<ul style="list-style-type: none"> <li>» ECE R10</li> </ul>	<ul style="list-style-type: none"> <li>» cart. dim.: 55x45x200 mm</li> <li>» lamp weight: 215 g</li> <li>» 50pcs/bulk box</li> </ul>

# PANEL LED 24XLED SPOT

Reference: FA35164

PHOTO AND TECHNICAL DRAWING:



TECHNICAL SPECIFICATIONS:





MATERIAL	QUANTITY LED/LM	MOUNTING	CABLE	FUNCTION	WATT	VOLTAGE	CERTIFICATES	PACKING/ WEIGHT
» Lens: PC » Housing: AL	» 24 » 1600 LM	» screw	» 300 mm	» work light » spot	» 36 W	» 12V/24V	» ECE R10	» cart. dim.: 55x45x300 mm » lamp weight: 325 g » 50pcs/bulk box

# PANEL LED 72XLED

Reference: FA35166

PHOTO AND TECHNICAL DRAWING:



TECHNICAL SPECIFICATIONS:





MATERIAL	QUANTITY LED/LM	MOUNTING	CABLE	FUNCTION	WATT	VOLTAGE	CERTIFICATES	PACKING/ WEIGHT
» Lens: PC » Housing: AL	» 72x LED » 4680 LM	» screw	» 300 mm	» work light » combo	» 108 W	» 12V/24V	» ECE R10	» cart. dim.: 132x115x480 mm » lamp weight: 780 g » 10 pcs/bulk box

# PANEL LED 84XLED

Reference: FA35167

PHOTO AND TECHNICAL DRAWING:



TECHNICAL SPECIFICATIONS:





MATERIAL	QUANTITY LED/LM	MOUNTING	CABLE	FUNCTION	WATT	VOLTAGE	CERTIFICATES	PACKING/WEIGHT
» Lens: PC » Housing: AL	» 84x LED » 5460 LM	» screw	» 300 mm	» work light » combo	» 126 W	» 12V/24V	» ECE R10	» cart. dim.: 132x115x550 mm » lamp weight: 890 g » 10 pcs/bulk box



# PANEL LED 96XLED

Reference: FA35168

PHOTO AND TECHNICAL DRAWING:



TECHNICAL SPECIFICATIONS:




MATERIAL	QUANTITY LED/LM	MOUNTING	CABLE	FUNCTION	WATT	VOLTAGE	CERTIFICATES	PACKING/ WEIGHT
» Lens: PC » Housing: AL	» 96x LED » 6240 LM	» screw	» 300 mm	» work light » combo	» 126 W	» 12V/24V	» ECE R10	» cart. dim.: 132x115x610 mm » lamp weight: 1000g » 8 pcs/bulk box

# PANEL LED 144XLED

Reference: FA35172

PHOTO AND TECHNICAL DRAWING:



TECHNICAL SPECIFICATIONS:





MATERIAL	QUANTITY LED/LM	MOUNTING	CABLE	FUNCTION	WATT	VOLTAGE	CERTIFICATES	PACKING/ WEIGHT
» Lens: PC » Housing: AL	» 144x LED » 9360 LM	» screw	» 300 mm	» work light » combo	» 216W	» 12V/24V	» ECE R10	» cart. dim.: 132x115x900 mm » lamp weight: 1485g » 6 pcs/bulk box

# PANEL LED 156XLED

Reference: FA35173

PHOTO AND TECHNICAL DRAWING:



TECHNICAL SPECIFICATIONS:




MATERIAL	QUANTITY LED/LM	MOUNTING	CABLE	FUNCTION	WATT	VOLTAGE	CERTIFICATES	PACKING/WEIGHT
» Lens: PC » Housing: AL	» 156x LED » 10140 LM	» screw	» 300 mm	» work light » combo	» 234W	» 12V/24V	» ECE R10	» cart. dim.: 132x115x1000 mm » lamp weight: 1595g » 6 pcs/bulk box

# PANEL LED 168XLED

Reference: FA35174

PHOTO AND TECHNICAL DRAWING:



TECHNICAL SPECIFICATIONS:





MATERIAL	QUANTITY LED/LM	MOUNTING	CABLE	FUNCTION	WATT	VOLTAGE	CERTIFICATES	PACKING/ WEIGHT
» Lens: PC » Housing: AL	» 168x LED » 10920 LM	» screw	» 300 mm	» work light » combo	» 252W	» 12V/24V	» ECE R10	» cart. dim.: 132x115x1050 mm » lamp weight: 1750g » 6 pcs/bulk box

# PANEL LED 20XLED

Reference: FA35175

PHOTO AND TECHNICAL DRAWING:



TECHNICAL SPECIFICATIONS:






MATERIAL	QUANTITY LED/LM	MOUNTING	CABLE	FUNCTION	WATT	VOLTAGE	CERTIFICATES	PACKING/ WEIGHT
» Lens: PC » Housing: AL	» 20x LED » 1300 LM	» screw	» 300 mm	» work light » combo	» 30W	» 12V/24V	» ECE R10	» cart. dim.: 100x90x90 mm » lamp weight: 315g » 40 pcs/bulk box

# PANEL LED 40XLED

Reference: FA35176

PHOTO AND TECHNICAL DRAWING:



TECHNICAL SPECIFICATIONS:





MATERIAL	QUANTITY LED/LM	MOUNTING	CABLE	FUNCTION	WATT	VOLTAGE	CERTIFICATES	PACKING/ WEIGHT
<ul style="list-style-type: none"> <li>» Lens: PC</li> <li>» Housing: AL</li> </ul>	<ul style="list-style-type: none"> <li>» 40x LED</li> <li>» 2600 LM</li> </ul>	<ul style="list-style-type: none"> <li>» screw</li> </ul>	<ul style="list-style-type: none"> <li>» 300 mm</li> </ul>	<ul style="list-style-type: none"> <li>» work light</li> <li>» combo</li> </ul>	<ul style="list-style-type: none"> <li>» 60W</li> </ul>	<ul style="list-style-type: none"> <li>» 12V/24V</li> </ul>	<ul style="list-style-type: none"> <li>» ECE R10</li> </ul>	<ul style="list-style-type: none"> <li>» cart. dim.: 132x115x260 mm</li> <li>» lamp weight: 425g</li> <li>» 20 pcs/bulk box</li> </ul>

# PANEL LED 60XLED

Reference: FA35177

PHOTO AND TECHNICAL DRAWING:



TECHNICAL SPECIFICATIONS:





MATERIAL	QUANTITY LED/LM	MOUNTING	CABLE	FUNCTION	WATT	VOLTAGE	CERTIFICATES	PACKING/ WEIGHT
» Lens: PC » Housing: AL	» 60x LED » 3900 LM	» screw	» 300 mm	» work light » combo	» 90W	» 12V/24V	» ECE R10	» cart. dim.: 132x115x340 mm » lamp weight: 535g » 20 pcs/bulk box

# PANEL LED 80XLED

Reference: FA35178

PHOTO AND TECHNICAL DRAWING:



TECHNICAL SPECIFICATIONS:






MATERIAL	QUANTITY LED/LM	MOUNTING	CABLE	FUNCTION	WATT	VOLTAGE	CERTIFICATES	PACKING/WEIGHT
» Lens: PC » Housing: AL	» 80x LED » 5200 LM	» screw	» 300 mm	» work light » combo	» 120W	» 12V/24V	» ECE R10	» cart. dim.: 132x115x410 mm » lamp weight: 690g » 10 pcs/bulk box



# PANEL LED 100XLED

Reference: FA35179

PHOTO AND TECHNICAL DRAWING:



## TECHNICAL SPECIFICATIONS:




MATERIAL	QUANTITY LED/LM	MOUNTING	CABLE	FUNCTION	WATT	VOLTAGE	CERTIFICATES	PACKING/WEIGHT
<ul style="list-style-type: none"> <li>» Lens: PC</li> <li>» Housing: AL</li> </ul>	<ul style="list-style-type: none"> <li>» 100x LED</li> <li>» 6500 LM</li> </ul>	<ul style="list-style-type: none"> <li>» screw</li> </ul>	<ul style="list-style-type: none"> <li>» 300 mm</li> </ul>	<ul style="list-style-type: none"> <li>» work light</li> <li>» combo</li> </ul>	<ul style="list-style-type: none"> <li>» 150W</li> </ul>	<ul style="list-style-type: none"> <li>» 12V/24V</li> </ul>	<ul style="list-style-type: none"> <li>» ECE R10</li> </ul>	<ul style="list-style-type: none"> <li>» cart. dim.: 132x115x480 mm</li> <li>» lamp weight: 800g</li> <li>» 10 pcs/bulk box</li> </ul>

# PANEL LED 120XLED

Reference: FA35180

PHOTO AND TECHNICAL DRAWING:



TECHNICAL SPECIFICATIONS:





MATERIAL	QUANTITY LED/LM	MOUNTING	CABLE	FUNCTION	WATT	VOLTAGE	CERTIFICATES	PACKING/WEIGHT
» Lens: PC » Housing: AL	» 120x LED » 7800 LM	» screw	» 300 mm	» work light » combo	» 180W	» 12V/24V	» ECE R10	» cart. dim.: 132x115x550 mm » lamp weight: 910g » 10 pcs/bulk box

# PANEL LED 140XLED

Reference: FA35181

PHOTO AND TECHNICAL DRAWING:



TECHNICAL SPECIFICATIONS:




MATERIAL	QUANTITY LED/LM	MOUNTING	CABLE	FUNCTION	WATT	VOLTAGE	CERTIFICATES	PACKING/ WEIGHT
» Lens: PC » Housing: AL	» 140x LED » 9100 LM	» screw	» 300 mm	» work light » combo	» 210W	» 12V/24V	» ECE R10	» cart. dim.: 132x115x610 mm » lamp weight: 1020g » 10 pcs/bulk box

# PANEL LED 160XLED

Reference: FA35182

PHOTO AND TECHNICAL DRAWING:



TECHNICAL SPECIFICATIONS:





MATERIAL	QUANTITY LED/LM	MOUNTING	CABLE	FUNCTION	WATT	VOLTAGE	CERTIFICATES	PACKING/ WEIGHT
» Lens: PC » Housing: AL	» 160x LED » 10400 LM	» screw	» 300 mm	» work light » combo	» 240W	» 12V/24V	» ECE R10	» cart. dim.: 132x115x700 mm » lamp weight: 1130g » 6 pcs/bulk box

# PANEL LED 180XLED

Reference: FA35183

PHOTO AND TECHNICAL DRAWING:



TECHNICAL SPECIFICATIONS:




MATERIAL	QUANTITY LED/LM	MOUNTING	CABLE	FUNCTION	WATT	VOLTAGE	CERTIFICATES	PACKING/ WEIGHT
» Lens: PC » Housing: AL	» 180x LED » 11700 LM	» screw	» 300 mm	» work light » combo	» 270W	» 12V/24V	» ECE R10	» cart. dim.: 132x115x760 mm » lamp weight: 1285g » 6 pcs/bulk box

# PANEL LED 200XLED

Reference: FA35184

PHOTO AND TECHNICAL DRAWING:



## TECHNICAL SPECIFICATIONS:



MATERIAL	QUANTITY LED/LM	MOUNTING	CABLE	FUNCTION	WATT	VOLTAGE	CERTIFICATES	PACKING/ WEIGHT
» Lens: PC » Housing: AL	» 200x LED » 13000 LM	» screw	» 300 mm	» work light » combo	» 300W	» 12V/24V	» ECE R10	» cart. dim.: 132x115x830 mm » lamp weight: 1395g » 6 pcs/bulk box